AXI for MAXAda for RedHawk

Version 3.4 Release Notes





Copyright

Copyright 2003 by Concurrent Computer Corporation. All rights reserved. This publication or any part thereof is intended for use with Concurrent Computer Corporation products by Concurrent Computer Corporation personnel, customers, and end–users. It may not be reproduced in any form without the written permission of the publisher.

Disclaimer

The information contained in this document is subject to change without notice. Concurrent Computer Corporation has taken efforts to remove errors from this document, however, Concurrent Computer Corporation's only liability regarding errors that may still exist is to correct said errors upon their being made known to Concurrent Computer Corporation.

License

Duplication of this manual without the written consent of Concurrent Computer Corporation is prohibited. Any copy of this manual reproduced with permission must include the Concurrent Computer Corporation copyright notice.

Trademark Acknowledgments

MAXAda, RedHawk, PowerWorks, PowerMAXION, PowerMAX OS, TurboHawk, and Power Hawk are trademarks of Concurrent Computer Corporation.

Night Hawk is a registered trademark of Concurrent Computer Corporation.

Motorola is a registered trademark of Motorola, Inc.

AXI is a trademark of Sente Corporation.

PowerStack is a trademark of Motorola, Inc.

Linux is a registered trademark of Linus Torvalds.

Red Hat is a registered trademark of Red Hat, Inc.

Intel is a registered trademark of Intel Corporation.

X Window System, X, and Motif are trademarks of The Open Group

Contents

1.0	Introduction														1
2.0	Documentation														2
	Prerequisites														
	3.1 Host System														
	3.1.1 Software													;	3
	3.1.2 Hardware														4
	3.2 Target System														4
	3.2.1 Software														4
	3.2.2 Hardware														4
4.0	System Installation														5
5.0	Known Issues														6
6.0	Direct Software Support														7

1.0. Introduction

 AXI^{TM} for MAXAdaTM for RedHawkTM is the Ada X Interface for MAXAda. The Ada X Interface is an abstract Ada binding to the X^{TM} Library (Xlib), the X Toolkit (Xt) and MotifTM (Xm). Using this interface, applications written in Ada targeting Concurrent iHawk computers running under RedHawk Linux may take advantage of the X library, the X Toolkit, and Motif.

2.0. Documentation

Table 2-1 lists the AXI for MAXAda for RedHawk 3.4 documentation available from Concurrent.

Table 2-1. AXI for MAXAda for RedHawk Version 3.4 Documentation

Manual Name	Pub. Number			
AXI for MAXAda Reference Manual	0890518-000			
AXI for MAXAda for RedHawk Version 3.4 Release Notes	0898539-3.4			

Copies of the Concurrent documentation can be ordered by contacting the Concurrent Software Support Center. The toll-free number for calls within the continental United States is 1-800-245-6453. For calls outside the continental United States, the number is 1-954-283-1822 or 1-305-931-2408.

Additionally, the manuals listed above are available:

- online using the PowerWorks Linux Development Environment utility, nhelp (release notes only)
- on the Concurrent Computer Corporation web site at www.ccur.com

3.0. Prerequisites

Prerequisites for AXI for MAXAda for RedHawk Version 3.4 for both the host system and target system are as follows:

3.1. Host System

3.1.1. Software

- RedHawkTM Linux 1.4 or Red Hat[®] Linux *
- · Required capabilities
 - MAXAda for RedHawk

NOTE

The following capabilities are normally installed as part of the standard installation of the MAXada for RedHawk product. During installation, the user will be notified if required capabilities do not exist on the Linux system.

Capabilities	RPMs providing these capabilities
ccur-HyperHelp-scripts	ccur-HyperHelp-scripts-6.4.2-002
ccur-MAXAda-i86_3.4	ccur-MAXAda-i86_3.4-000-1
ccur-x11-6.4.2	ccur-x11-6.4.2-006-1

- RedHawk Linux

NOTE

The following capabilities are normally installed as part of the standard installation of the RedHawk or Red Hat product. During installation, the user will not be notified if required capabilities do not exist on the Linux system, but user applications will fail to link if they utilize portions of Motif.

Capabilities	RPMs providing these capabilities
openmotif	openmotif-2.2.2-12

^{*} This product has been extensively tested on RedHawk Linux 1.4 and Red Hat Linux 8.0. However, this product has not been tested with versions of Linux supplied by other vendors or on earlier versions of Red Hat Linux.

3.1.2. Hardware

• Any Concurrent iHawk system

3.2. Target System

3.2.1. Software

• RedHawk Linux 1.4

3.2.2. Hardware

• Any Concurrent iHawk system

4.0. System Installation

Installation of AXI for MAXAda for RedHawk is accomplished using the standard Linux product installation mechanism, rpm (see rpm (8)).

The RPM name associated with AXI for MAXAda for RedHawk 3.4 is:

and the file associated with this RPM is:

NOTE

The user must be root in order to use the **rpm** product installation mechanism on the Linux system.

To install the AXI for MAXAda for RedHawk RPM, issue the following commands on your Linux system:

- 1. Insert the installation CD in the CD-ROM drive
- 2. Mount the CD-ROM drive (assuming the standard mount entry for the CD-ROM device exists in /etc/fstab)

```
mount /mnt/cdrom
```

3. Change the current working directory to the directory containing the AXI for MAXAda for RedHawk RPM

```
cd /mnt/cdrom
```

4. Install the RPM

5. Change the current working directory outside the /mnt/cdrom hierarchy

cd /

6. Unmount the CD-ROM drive (otherwise, you will be unable to remove the installation CD from the CD-ROM drive)

```
umount /mnt/cdrom
```

To uninstall the AXI for MAXAda for RedHawk RPM, use the following command:

5.0. Known Issues

Problems with AXI for MAXAda for RedHawk Version 3.4 will be addressed in patches to this release or may be corrected in a future release.

- The Version 3.4 release of AXI for MAXAda for RedHawk does not support Motif 1.2.
- The STARS Xt implementation is not complete. The STARS bindings should be used only for programming at the Xlib level.
- The Version 3.4 release of AXI for MAXAda for RedHawk supports Motif 2.1, but its use with openmotif version 2.2 RPMs have not shown any problems to date.
- Ada programs using these bindings must set their link rule to allow for shared libraries using a command similar to the following:
 - a.partition -rule so,ar,ob partition_name

or add the following libraries to the link options for the partition:

a.partition -oappend '-lpthread -ldl' partition name

6.0. Direct Software Support

Software support is available from a central source. If you need assistance or information about your system, please contact the Concurrent Software Support Center at 1-800-245-6453. Our customers outside the continental United States can contact us directly at 1-954-283-1822 or 1-305-931-2408. The Software Support Center operates Monday through Friday from 8 a.m. to 7 p.m., Eastern Standard time.

Calling the Software Support Center gives you immediate access to a broad range of skilled personnel and guarantees you a prompt response from the person most qualified to assist you. If you have a question requiring on-site assistance or consultation, the Software Support Center staff will arrange for a field analyst to return your call and schedule a visit.